

LINESCAPES WALL

NEMO STUDIO

Family of floor, ceiling and wall elements, efficient with an highly versatile linear luminous output. Body in aluminium extruded and opal white polycarbonate diffuser. Horizontal cantilever wall version supplied with kit for connection with remote driver. White or black finishing with elements in grey painted on the floor and wall versions.



L102 LED

LAMPING

Source	linear LED
Total power	24W
Emission	diffused, Up or Down
Tension	24V DC
Color temperature	3000K
Luminous flux	2400lm
Typ cri	80
Energy class	A+
Ip class	20
Materials	Aluminium + PC + ABS
Notes	driver not included, side emission

Codes

LIN LWD 31

Structure/Diffuser


white/grey/white

PACKAGE

Package 01

53x53x35 cm / Gross weight: 3.5 Kg

Certificazioni



L182 LED

LAMPING

Source	linear LED
Total power	42W
Emission	diffused, Up or Down
Tension	24V DC
Color temperature	3000K
Luminous flux	4320lm
Typ cri	80
Energy class	A+
Ip class	20
Materials	Aluminium + PC + ABS
Notes	driver not included, side emission

Codes

LIN LWD 32

Structure/Diffuser

white/grey/white

PACKAGE

Package 01

53x53x35 cm / Gross weight: 3.5 Kg

Certificazioni

